

808 nm **(LY-DL1)**



● □ □ □ □

□□□□□□□.1

0000000 000 000000000 000000 000 000 000 00000000 000 000000 00 0000
 000000 000000000 000000000 000 000000 **andbikini**. 000000 00 000 000000
 .00000000 00000000

2 □□□□ □□□□.



Before



After



Before



After



Before



After



Before



After

:[www.fox.com](#)


6. The first step is to identify the problem. In this case, the problem is the lack of information. The second step is to gather information. The third step is to analyze the information. The fourth step is to make a decision. The fifth step is to implement the decision. The sixth step is to evaluate the results. The seventh step is to make adjustments. The eighth step is to repeat the process. The ninth step is to document the process. The tenth step is to share the results. The eleventh step is to conclude the process. The twelfth step is to end the process. ...



□ □ □ □ □ □ □ □ □ □ :
□ □ □ □ □ :
□ □ □ □ □ :

1. 00000000 000000000000 00000000 00 0000 0000 000000 00000000 0000 00
0000000000 00000000 0000 0000000000 00000000 0000 0000 0000 0000 00000000
000 00000000 00000000 00000000 000.
2. 00000000 000 000 0000000 000000 00000 0000000000 0000000 00000000 0000 00
000 00000000 00000000 00000000 000 0000000000 00000000 00000 00000 0000 00.
3. 000000 00 00000 00 00000 00000000 00000000 00000000 0000000000 00000 00
000 00000000 00000000 00000000 000 00000000000 000000000.
4. 000000 000000 000000 000000 0000000000 000000 00000 000 000 0000000 00000
75 00000000000 0000000 000000 0000000 0000000 000000 000000°C 000 00000000
10 000 0000000 00000000 00000000 00 0000000 0000HZ 00000000 00 00 00
000000 00 000000 000 000000000 000000 000 00000 000 00000000 000 00000 000000





参数名称 单位:

功率	808 红外激光 808nm 红外激光 功率 功率 功率
功率 功率:	LY-DL1
功率	功率
功率 功率	功率 功率 功率 / 功率 功率 功率
Q-功率	功率
功率	功率
功率 功率 功率 功率	功率 功率
功率 功率	240 * 2
功率 功率	808nm 10 + 功率nm
功率 功率 功率	10MM * 16MM
功率 功率	10-300ms
功率 功率 功率 功率	3J-140J
功率 功率	140J + 10J
功率 功率 功率	600W
功率 功率	1200W

ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ	110V + 10ꠘꠘ 50HZ
OSD ꠘꠘꠘꠘꠘ	ꠘꠘꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘꠘꠘꠘ
ꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘꠘꠘꠘ	ꠘꠘꠘ 10 ꠘꠘꠘꠘ ꠘꠘ
ꠘꠘꠘ) ꠘꠘꠘ)	1180 * 500 * 385mm
ꠘꠘꠘꠘ	≈51kg

- :ꠘꠘꠘꠘꠘ
- .ꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ .1
 - .ꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘ ꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘ ꠘꠘꠘ ꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ .2
 - .ꠘꠘꠘꠘ 24 ꠘꠘꠘꠘ ꠘꠘꠘꠘ .3

:ꠘꠘꠘꠘꠘ

.ꠘꠘꠘꠘꠘꠘ ꠘꠘꠘ ꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘ ꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ

ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘ ꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ.

ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘipping ꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘ:

ꠘꠘꠘꠘꠘ	ꠘꠘꠘꠘ ꠘꠘꠘꠘꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘ ꠘꠘ ꠘꠘꠘ ꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘ ꠘꠘꠘꠘꠘꠘ.
ꠘꠘꠘꠘꠘꠘ	ꠘꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘ ꠘꠘ ꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘ ꠘꠘ ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘ ꠘꠘ.
ꠘꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ	3-10 ꠘꠘꠘꠘꠘ ꠘꠘꠘꠘꠘ



销售代表: Racher 代表

15527106178-0086 : 销售代表 销售代表 销售代表

销售代表: sales2@lanyuansupply.com

销售代表 销售代表: sales2@lanyuansupply.com